


Unisto Padlock 4









A Padlock Type of Security Seal The high security Padlock 4 provides additional tamper resistance over Padlock 3, with the same ease of sealing - designed to be able to be sealed with a single hand. Hasp diameter 3.8 mm. Variety of colours for logistical control available. Bar-code option for efficient data capture.

© Unisto, www.unisto.com

Features of this security seal


Type of Seal
Padlock Type Seals

Application
Trolleys

- Seal re-opens if not properly locked
- Locking section with different diameters in conjunction with transparent locking insert increases tamper-resistance
- Free movement in locking mechanism prevents glueing, allows integrity of the seal to be checked easily
- Hasp Design allows single-handed application
- Various colours for logistical functions
- Customer name/logo for clear identification
- Bar-coding for fast, accurate and reliable data capture and streamlining operations
- Mats of 10 seals allows sequential distribution

© Unisto, www.unisto.com

Minimum size



© Unisto, www.unisto.com

Materials
Housing: polypropylene (PP)
Locking mechanism: polycarbonate (PC

Tensile strength
Approx. 5 kg

Numbering
6 digits

Barcoding
Interleaved 2/5 or barcode 128

Customer name/logo
Foil printed

Colours
Dark blue, dark green, red, grey
Other colours available on request

Packing
Mats of 5 or 10 seals, box of 1000 seals
44.0 x 12.0 x 24.0 cm (0.012 m3), approx. 2.1 kg

Storage
Seals should be stored in original box away from direct sunlight and chemical fumes.
Store at 22°C/50% RH. Typical shelf life of seals made of PP and PA are approx. 18 months from date of manufacture.
Nevertheless please do not order more than an annual quantity.

© Unisto, www.unisto.com