


Unisto **Fixlock**

Brand New Fix Length Security seal for applications such as Containers, Boxes, Truck and Trailer Doors. Widely used in the Cash in Transit, Railway and Transport industry. Minimum hole diameter of 7 mm plus required. Snake-line on ribbon deters cutting and guarantees easy checking for cuts. Consecutive numbering or barcodes enables easy recording of the seal numbers and streamlining operations. Various plastic colours available for logistical control. Special designed locking cap indicates potential attack by heat. Option: Special treatment version preventing glueing/heat welding.

---

## Features of this security seal

### Type of Seal

Fixlength Seals

---


### Application

Container

---

- › Locking insert of special plastic increases tamper resistance
- › Special designed locking cap indicates potential attack by heat
- › Snake-line on ribbon deters cutting and guarantees easy checking for cuts
- › Various colours for logistical functions
- › Customer name/logo for clear identification
- › Barcoding for fast, accurate and reliable data capture and streamlining operations
- › Mats of 10 seals allows sequential distribution

Minimum size



**Materials**

Ribbon/Housing: Polyethylene (PE)  
Spring: Thermocomp

**Tensile strength (loop)**

Approx. 20 kg

**Numbering**

8 digits

**Barcoding**

Interleaved 2/5 or Barcode 128

**Customer name/logo**

Foil printed

**Colours - numbered version**

Dark blue, dark green, red, grey, yellow, white, black  
Other colours available on request

**Colours - Barcode directly lasered**

White, yellow, apricot, pink, purple, grey, light brown

**Colour locking cap**

always purple

**Packing**

Mats of 10 seals, 1'000 seals per box

**Fixlock 155 mm:**

56.5 x 38.0 x 14.5 cm (0.031 m3 ), approx. 4.0 kg

**Fixlock LT 155 mm:**

56.5 x 38.0 x 14.5 cm (0.031 m3 ), approx. 4.6 kg

**Fixlock 245 mm:**

56.5 x 38.0 x 14.5 cm (0.031 m3 ), approx. 4.4 kg

How to close



How to open

